


COBRA

BICYCLE RACK



COBRA BICYCLE RACK


The Cobra is a bicycle rack with a thoughtful, contemporary design that meets the requirements and wishes of contemporary bicycle parking. The Cobra bicycle rack also fits perfectly in the shape of the street scene due to its round shapes.



VARIANTS


COBRA SOLO

The Cobra Solo is available in a high and low model. Options for mounting are: 45° or 90°, on a concrete base, recessed in concrete and above ground level.




COBRA WITH CHARGING POINTS

By adding charging points to the Cobra bicycle parking system, cyclists with an e-bike can easily charge their bicycles at the system and park their bicycles safely.




COBRA LIGHT

The Cobra Light focuses on sustainability. Through strict choice of materials, weight has been saved, without sacrificing quality.



COBRA LIGHT WITH CHARGING POINTS

By adding charging points to the Cobra Light bicycle parking system, cyclists with an e-bike can easily charge their bicycles at the system and park their bicycles safely.



SPECIFICATIONS

Model	Number of bicycle spots	Center-to-center distance	Width
Cobra 2 - single-sided	2	375 mm / 400 mm	750 mm / 800 mm
Cobra 4 - single-sided	4	375 mm / 400 mm	1500 mm / 1600 mm
Cobra 4D - double-sided	4	375 mm / 400 mm	750 mm / 800 mm
Cobra 8D - double-sided	8	375 mm / 400 mm	1500 mm / 1600 mm
Cobra Solo High/Low	1	-	-

*A different heart-to-heart distance is possible in consultation.



CERTIFICATION

The Cobra has been awarded the FietsParKeur quality mark. This means that the Cobra meets the requirements set by the FietsParKeur foundation to guarantee the quality of the bicycle racks.

AVAILABLE COLOURS

The Cobra is standard in galvanized steel, but can be delivered in any RAL colour if required.

VERSIONS

The Cobra is available single-sided and double-sided.

MEASUREMENTS

Cobra single-sided

Below is the drawing of a single-sided Cobra with a center-to-center distance of 40 cm. All variants of the Cobra can be extended to any possible number of bicycle places.


Size (l x w)

With bicycle: 1600 x 518

Without bicycle: 1600 x 1870

Number of bicycle spots

4



Cobra double-sided

Below is the drawing of a double-sided Cobra with a center-to-center distance of 40 cm.



Size (l x w)

With bicycle: 800 x 735

Without bicycle: 800 x 2970

Number of bicycle spots

4



PROJECTS

RAI Amsterdam



PROJECTS

University of Wageningen

