


WOMA

BICYCLE RACK



WOMA BICYCLE RACK

The Woma is intended as a universal bicycle rack, which means that almost any kind of bicycle can be safely parked in the rack. This bicycle rack has been specially developed for locations where there is a lot of diversity in bicycles, such as educational institutions and the city center.



VARIANTS

WOMA WITH BASE PLATE

The spherical base plate functions to combat litter under the bicycle parking system.



WOMA WITH CHARGING POINT

By adding charging points to the Woma bicycle rack, cyclists with an e-bike can easily charge the bicycles to the system and park the bicycle safely



WOMA ASSIST

The Woma Assist has an additional ramp for high bicycle spaces.



SPECIFICATIONS

Model	Number of bicycle spots	Center-to-center distance	Width
Woma 2 - single-sided	2	400 mm	800 mm
Woma 4 - single-sided	4	400 mm	1600 mm
Woma 4D - double-sided	4	400 mm	820 mm
Woma 8D - double-sided	8	400 mm	1600 mm



CERTIFICATION

The Woma has been awarded the FietsParKeur quality mark. This means that the Woma meets the requirements set by the FietsParKeur foundation to guarantee the quality of the bicycle racks.

AVAILABLE COLOURS

The Woma is standard in galvanized steel, but can be delivered in any RAL colour if required.

VERSIONS

The Woma is available single-sided and double-sided.

MEASUREMENTS

Woma single-sided

Below is the drawing of a single-sided Woma with a center-to-center distance of 40 cm. All variants of the Woma can be extended to any possible number of bicycle places.



Size (l x w)

With bicycle: 1600x1928

Without bicycle: 1600x514

Number of bicycle spots

4



Woma double-sided

Below is the drawing of a double-sided Woma with a center-to-center distance of 40 cm.

Size (l x w)

With bicycle: 820 x 729

Without bicycle: 820 x 3305

Number of bicycle spots

4



PROJECTS

Alfa College Hoogeveen



PROJECTS

Beekdal Lyceum

